

Product Data Sheet

Cobra Fast Curing Agent



A Low Viscosity, modified aliphatic amine, designed for use as an ambient temperature curing agent for liquid epoxy resins.

Cobra Fast Curing Agent offers good color stability and delivers a good curing performance in temperatures as low as 32°F.

Cobra Fast Curing agent has a reasonable pot life and high reactivity.

ADVANTAGES

- Low viscosity
- Good color
- Reasonably good pot life and high reactivity giving excellent curing performance under adverse low temperatures 32°F
- High gloss films

APPLICATIONS

The recommended resin component for Cobra fast curing agent is the Modified Epoxy Resin.

- Solvent free coating & primers
- Self-leveling flooring systems
- Epoxy screeds
- Adhesives
- Concrete patching
- Accelerator for cycloaliphatic amine, cured coatings & flooring

All Cobra Polymers products are manufactured to a high standard of quality. Whilst we aim to ensure that any advice, information or recommendations given are reliable and correct, the Company cannot accept any liability directly or indirectly arising from the use of its products, as we have no direct or continuous control over where or how its products are applied. No undertaking can be given against infringement of any patented processes.

TECHNICAL SPECIFICATION

COLOR

Gardner 2 max

VISCOSITY @ 77°F

150 centipoises max

AMINE VALUE (KOH/g)

300-320 mg

GEL TIME @ 77°F

15 - 18 minutes

MIXING RATIO

2:1

SPECIFIC GRAVITY @ AMBI- ENT TEMPERATURE

0.97